

AD-A257 472



2

OFFICE OF NAVAL RESEARCH

Contract N00014-91-J-1910

R & T Code 4131025

Technical Report #49

Derivation of Metallophthalocyanine Redox Potentials via Hammett Parameter Analysis

DTIC
ELECTE
NOV 06 1992
S A D

By

A.B.P. Lever

in

Inorganica Chimica Acta

York University
Department of Chemistry, 4700 Keele St., North York
Ontario, Canada M3J 1P3

Reproduction in whole, or in part, is permitted for any purpose of the United States Government

*This document has been approved for public release and sale; its distribution is unlimited

*This statement should also appear in Item 10 of the Document Control Data-DD form 1473. Copies of the form available from cognizant contract administrator

92-28974



1998

92 11 05 025

Derivation of Metallophthalocyanine Redox Potentials via Hammett Parameter Analysis.

A. B. P. Lever

Dept. of Chemistry, York University, North York, Ontario, Canada M3J 1P3

Abstract:

Six redox processes of metal-free, cobalt and zinc substituted phthalocyanines are shown to be linearly dependent on the total Hammett substituent constant, $\Sigma\sigma_p$. The slopes of the linear free energy relationships are in the range 0.10 to 0.15 V/ $\Sigma\sigma_p$.

Metal phthalocyanine species exhibit rich electrochemical behavior due to the accessibility of a range of oxidation states centred on the ligand, and, for many transition metal ions, on the metal [1-14]. Further, phthalocyanine species have been modified by the use of a wide range of substituents at the peripheral benzene rings [15]. Few attempts have been made [16-20] to analysis in any detail, the variation of redox potential with substituent, via use of Hammett substituent constants [21,22].

Orishashi and co-workers [16,17] analysed the oxidation potentials for $R_4PcCo(II)$ and $R_8PcCo(II)$ species, showing, in separate plots, quite good correlations of the redox potential with the Hammett constant for the individual R. They noted that the slope of the correlation for the $R_8PcCo(II)$ species was roughly twice that of the slope for the $R_4PcCo(II)$ species. Luk'yanets, Gavrilov and co-workers [18,19] plotted the total $\Sigma\sigma_p$ parameter versus redox potentials for oxidation of zinc and cobalt species, but neither group attempted any broader analysis. Rare Earth substituted diphtalocyanines have also been briefly studied [20], but they are not considered here.

We have collected a larger body of data from the literature and have chosen to analyse the data in terms of $\Sigma\sigma_p$, the sum of the Hammett parameters for all substituents. While the octasubstituted R_8PcM (with substitution in the 4,5 position of the benzene ring) species are single isomers, the tetrasubstituted R_4PcM species are almost invariably mixtures of isomers, randomly

substituted in the 4 or 5 positions of each of the four benzene rings in the phthalocyanine unit. There is no evidence that the individual isomers have significantly different redox potentials. For this reason, the most straightforward assumption is that the effect of the substituent is correlated with its σ_p value (para substitution parameter) irrespective of its position, 4 or 5, in the ring. No data for 3-substituted phthalocyanines are included here.

Figure 1 illustrates the behaviour of a series of redox processes, versus $\Sigma\sigma_p$, with the latter extracted from [22]. Data collected from the literature are shown in Table 1, with their statistical relationships versus the Hammett $\Sigma\sigma_p$ parameters shown in Table 2.

Within the data set there is some variation in organic solvent, as listed in the footnote to Table 1. However solvent effects on the phthalocyanine ring centred redox potentials are relatively small.

The data set for reduction of species $[(\text{CN})_2\text{Co(III)}\text{R}_x\text{Pc}(-2)]^-$ (see [23] for labelling nomenclature of MPc species) near -0.9 V vs SCE, labelled VI in Table 1, was tentatively ascribed [33] to a 2-electron reduction process to form $[\text{Co(I)}\text{R}_x\text{Pc}(-2)]^-$. This assignment is consistent with a study [24] of the chemistry of species $[(\text{HO})_2\text{Co(III)}\text{Pc}(-2)]^-$ where the hydroxide ion stabilises the Co(III) species to such an extent that a direct two electron oxidation of $[\text{Co(I)}\text{Pc}(-2)]^-$ is observed in basic media. The cyanide complex ion apparently behaves in a similar fashion since the Co(II)/Co(I) process is seemingly absent [33]. In the presence of cyanide or hydroxide ion, the $\text{L}_2\text{Co(III)}\text{Pc}(-2)/\text{Co(II)}\text{Pc}(-2)$ redox process ($\text{L} = \text{CN}, \text{OH}$) is more negative than the $\text{Co(II)}\text{Pc}(-2)/\text{Co(I)}\text{Pc}(-2)$ redox process, so that direct two electron oxidation of $[\text{Co(I)}\text{Pc}(-2)]^-$ to $[\text{L}_2\text{Co(III)}\text{Pc}(-2)]^-$ occurs [12]. Although this is an irreversible process, only the cathodic wave being seen, the potential of the cathodic peak shows good behavior with respect to the Hammett substituent and is therefore included herein.

No Hammett data appear available for the neopentoxy group. However there is a tetra-neopentoxy datum for four of the redox processes discussed here. Using the correlations shown in Table 2, and assuming the tetra-neopentoxy species fits each correlation perfectly, one obtains four experimental values for $\sigma_p(\text{neopentoxy})$. The average value is found to be 0.69 ± 0.28 . This

data point is shown in each correlation as a filled circle; agreement of the average value is most satisfactory for all four redox processes.

There appear to be no other relatively well developed series of substituted phthalocyanines for which electrochemical data are available. All six couples have slopes close to $0.1 \text{ V}/\sigma_p$. These slopes might be compared with values of $0.46 \text{ V}/\sigma_p$ and $0.97 \text{ V}/\sigma_p$, for oxidation (at the metal) and reduction (at the bipyridine ligand) for species $(R_2Bpy)Re(CO)_3(4-EtPy)$ (R_2Bpy = variously di-substituted 2,2'-bipyridine) [39], and 0.35 , 0.46 and $0.33 \text{ V}/\sigma_p$ for oxidation, reduction and double reduction of $[(R_2BQDI)Ru(Bpy)_2]^{2+}$ [40] (R_2-BQDI = variously substituted o-benzoquinonediimines). The much smaller slopes for the phthalocyanine couples are surely a reflection of the large size of the phthalocyanine ring system relative to bipyridine or o-benzoquinonediimine, such that the effect of a single substituent is small. One might note however, that the magnitude of the slope, for a metal centered redox process, is also related to the degree of interaction between metal and ligand orbitals. Thus the data [41] for the $Ru(III)/Ru(II)$ couple in $[(R_2Bpy)_3Ru]^{2+}$ register a slope of $0.14 \text{ V}/\sigma_p$ against the Hammett value (using values listed in ref. [22]).

While the data reported here represent a small database, it is evident that the Hammett $\Sigma\sigma_p$ parameter is useful in predicting the potentials of substituted phthalocyanine redox processes. If the results are construed to be fairly general, then a slope in the range $0.1 - 0.15 \text{ V}/\sigma_p$ might be used to predict redox potentials for species as yet not studied or synthesized, provided that a few specific examples are examined to derive a value for the intercept appropriate for the redox process under study.

Acknowledgements: The author is indebted to the Natural Sciences and Engineering Research Council (Ottawa), and the Office of Naval Research (Washington) for financial support.

TABLE 1 Hammett Constants and Redox Potentials (V. vs SCE), in Organic Solvent.

Species	Hammett Constant	Redox Processes ^{a,b}					
		I	II	III	IV	V	VI
OCNPc	5.28	-0.1		-0.15	1.76		
Cl ₁₆ Pc	3.68			-0.5			
TNO ₂ Pc	3.12				1.24	1.3	-0.48
TCPc	1.8				1.2		
OCPc	3.6				1.61		
TSPc	1.4	-0.53		-0.83			
TPhSPc	0.28		0.785		0.865		
H ₁₆ Pc	0	-0.7	0.695	-0.85	0.86	0.92	-0.83
TPhPc	-0.04		0.755		0.835		
TPhOPc	-0.12		0.755		0.805		
TEtPc	-0.60				0.87		
TBuPc	-0.80	-0.7	0.685	-0.94	0.745	0.77	-0.93
TMeOPc	-1.08		0.625		0.69		
TNPc	-2.75 ^c	-0.9	0.46	-1.17	0.52		
OMePc	-1.36				0.79	0.62	-0.94
OMeOPc	-2.16				0.73	0.61	
OBuOPc	-2.56		0.5	-1.06			
TAPc	-2.64	-0.65			0.68	0.55	

a) I; $\text{H}_2\text{R}_\text{x}\text{Pc}(-2)/[\text{H}_2\text{R}_\text{x}\text{Pc}(-3)]^-$ collected from references [13,25,26] in DMSO, [27,28] in DMF, [29] in PhNO_2 [30] in DCB.

II; $[\text{ZnR}_\text{x}\text{Pc}(-1)]^+/\text{ZnR}_\text{x}\text{Pc}(-2)$ collected from references [31,32] in DMF, [33] in DCB.

III; $\text{ZnR}_\text{x}\text{Pc}(-2)/[\text{ZnR}_\text{x}\text{Pc}(-3)]^-$ collected from [32,35-37] in DMF.

IV $[\text{Co(III)R}_\text{x}\text{Pc}(-1)]^{2+}/[\text{Co(III)R}_\text{x}\text{Pc}(-2)]^+$ collected from [19] in DCB, [17,39] in CH_3CN .

V, $(\text{CN})_2\text{Co(III)Pc}(-1)/[(\text{CN})_2\text{Co(III)Pc}(-2)]^-$ collected from [24] in acetone, [17] in CH_3CN .

VI [(CN)₂Co(III)Pc(-2)]⁻/[Co(I)Pc(-2)]⁻ collected from [24] in acetone (see text).

b) Abbreviations: OCNPc = octacyanophthalocyanine; Cl₁₆Pc = hexadecachloro-phthalocyanine; TNO₂Pc = tetranitrophthalocyanine; TCPc = tetracarboxyphthalocyanine; OCPc = octacarboxyphthalocyanine; TSPc = tetrasulfonatophthalocyanine; TPhSPc = tetrathiophenylphthalocyanine; H₁₆Pc unsubstituted phthalocyanine; TPhPc = tetraphenylphthalocyanine; TPhOPc = tetraphenoxypthalocyanine; TETpC = tetraethylphthalocyanine; TBuPc = tetrabutylphthalocyanine; TMeOPc = tetramethoxyphthalocyanine; TNPC = tetraneopentoxypthalocyanine OMePc = octamethylphthalocyanine; OMeOPc = octamethoxyphthalocyanine; OBuOPc = octabutoxyphthalocyanine. TAPc = tetraaminophthalocyanine.

c) Hammett σ_p value derived from current data - see text.

TABLE 2 Correlation of Redox Potential, (V. vs SCE), with Hammett $\Sigma\sigma_p$ in Organic Solvents.

Redox Process ^a	Slope	Intercept	Regression Coefficient	# ^b
I. $\text{H}_2\text{Pc}(-2)/[\text{H}_2\text{Pc}(-3)]^-$	0.10	-0.66	0.995	5
II. $[\text{Zn}(\text{II})\text{Pc}(-1)]^+/\text{Zn}(\text{II})\text{Pc}(-2)$	0.09	0.74	0.83	5
III. $\text{Zn}(\text{II})\text{Pc}(-2)/[\text{Zn}(\text{II})\text{Pc}(-3)]^-$	0.11	-0.86	0.96	6
IV. $[\text{Co}(\text{II})\text{Pc}(-1)]^+/\text{Co}(\text{II})\text{Pc}(-2)$	0.14	0.92	0.96	14
V. $(\text{CN})_2\text{Co}(\text{III})\text{Pc}(-1)^-/[(\text{CN})_2\text{Co}(\text{III})\text{Pc}(-2)]^-$	0.13	0.89	0.98	6
VI. $[(\text{CN})_2\text{Co}(\text{III})\text{Pc}(-2)]^-/[\text{Co}(\text{I})\text{Pc}(-2)]^-^c$	0.11	-0.82	0.995	4

a) For labelling of phthalocyanine redox processes, see [12]. b) No. of examples. c) Probable two electron process, see text.

References

1. A. B. P. Lever and J. P. Wilshire, Can. J. Chem., 54 (1976) 2514.
2. A. B. P. Lever, P. C. Minor and J. P. Wilshire, Inorg. Chem., 20 (1980) 2550.
3. A. B. P. Lever, S. Licoccia, K. Magnell, P. C. Minor and B. S. Ramaswamy, ACS Symposium Series, 201 (1982) 237.
4. A. B. P. Lever and P. C. Minor, Inorg. Chem., 20 (1981) 4015.
5. A. B. P. Lever, S. Licoccia, P. C. Minor, B. S. Ramaswamy and S. R. Pickens, J. Amer. Chem. Soc., 103 (1981) 6800.
6. S. Zecevic, B. Simic-Glavaski, E. Yeager, A. B. P. Lever and P. C. Minor, J. Electroanal. Chem., 196 (1985) 339.
7. A. B. P. Lever, M.R. Hempstead, C. C. Leznoff, W. Liu, M. Melnik, W. A. Nevin and P. Seymour, Pure and Applied Chemistry, 58 (1986) 1467.
8. W. A. Nevin, M.R. Hempstead, W. Liu, C. C. Leznoff and A. B. P. Lever, Inorg. Chem., 26 (1987) 570.
9. V. Manivannan, W. A. Nevin, C. C. Leznoff, and A. B. P. Lever, J. Coord. Chem., 19 (1988) 139.
10. M. N. Golovin, P. Seymour, K. Jayaraj, Y. Fu and A. B. P. Lever, Inorg. Chem., 29 (1990) 1719.
11. Y. H. Tse, Seymour, N. Kobayashi, H. Lam, C. C. Leznoff and A. B. P. Lever, Inorg. Chem., 31 (1991) 4453.
12. W. Liu, M. R. Hempstead, W. A. Nevin, M. Melnik, A. B. P. Lever, J. Chem. Soc. Dalton Trans (1987), 2511.
13. A. B. P. Lever, in "Phthalocyanines: Properties and Applications", Edited by C. C. Leznoff and A. B. P. Lever, VCH Publishers, New York. Volume 3, 1992, 000.
14. K. M. Kadish, L. A. Bottomley, and J. S. Cheng, J. Am. Chem. Soc., 100 (1978) 2731.
15. C. C. Leznoff, in "Phthalocyanines: Properties and Applications", Edited by C. C. Leznoff and A. B. P. Lever, VCH Publishers, New York. Volume 1, 1989, p1.
16. Y. Orihashi, H. Ohno, and E. Tsuchida, Mol. Cryst. Liq. Cryst., 160 (1988) 139.

17. Y. Orihashi, M. Nishikawa, H. Ohno, E. Tsuchida, H. Matsuda, H. Nakanishi, and M. Kato, Bull. Chem. Soc., Jpn., 60 (1987) 3731.
18. V. I. Gavrilov, A. P. Konstantinov, V. M. Derkacheva, E. A. Luk'yanets, and I. V. Shelepin, Zh. Fiz. Khim., 60 (1986) 1448.
19. V. I. Gavrilov, L. G. Tomilova, V. M. Derkacheva, E. V. Chernykh, N. T. Ioffe, I. V. Shelepin and E. A. Luk'yanets, Zh. Obshch. Khim., 53 (1983) 1347.
20. L. G. Tomilova, E. V. Chernykh, V. I. Gavrilov, I. V. Shelepin, V. M. Derkacheva, and E. A. Luk'yanets, Zh. Obshch. Khim., 52 (1982) 2606.
21. H. C. Brown and Y. Okamoto, J. Am. Chem. Soc. 80 (1958) 4979.
22. C. Hansch, A. Leo and R. W. Taft, Chem. Rev. 91 (1991) 165.
23. J. F. Myers, G. W. Rayner Canham and A. B. P. Lever, Inorg. Chem., 14 (1975) 461.
24. R. Behnisch and M. Hanack, Synth. Metal, 36 (1990) 387.
25. L. D. Rollmann and R. T. Iwamoto, J. Am. Chem. Soc., 90 (1968) 1455.
26. A. B. P. Lever, S. Licoccia, B. S. Ramaswamy, S. A. Kandil, and D. V. Stynes, Inorg. Chim. Acta, 51 (1981) 169.
27. D. W. Clack, N. S. Hush, and I. S. Woolsey, Inorg. Chim. Acta, 19 (1976) 129
28. E. Ough, T. Nyokong, K. A. M. Creber, and M. J. Stillman, Inorg. Chem., 27 (1988) 2724.
29. S. V. Vulf'son, O. L. Kaliya, O. L. Lebedev, and E. A. Luk'yanets, Zh. Organ. Khim., 12 (1976) 123.
30. G. Fu, Y-S. Fu, K. Jayaraj, and A. B. P. Lever, Inorg. Chem., 29 (1990) 4090.
31. V. Manivannan, W. A. Nevin, C. C. Leznoff, and A. B. P. Lever, J. Coord. Chem., 19 (1988) 139.
32. D. Wohrle and V. Schmidt, J. Chem. Soc., Dalton Trans., (1988) 549.
33. V. I. Gavrilov, A. P. Konstantinov, V. M. Derkacheva, E. A. Luk'yanets, and I. V. Shelepin, Zh. Fiz. Khim., 60 (1986) 1448.
34. A. Beck, M. Hanack, and K. M. Mangold, Chem. Ber., 124 (1991) 2315.
35. A. Louati, M. El Meray, J. J. Andre, J. Simon, K. M. Kadish, M. Gross, and A. Giraudeau, Inorg. Chem., 24 (1985) 1175.

36. A. Giraudeau, A. Louati, M. Gross, J. J. Andre, J. Simon, C. H. Su, and K. M. Kadish, J. Am. Chem. Soc., 105 (1983) 2917.
37. M. N. Golovin, P. Seymour, K. Jayaraj, Y-S. Fu, and A. B. P. Lever, Inorg. Chem., 29 (1990) 1719.
38. V. I. Gavrilov, L. G. Tomilova, V. M. Derkacheva, E. V. Chernykh, N. T. Ioffe, I. V. Shelepin and E. A. Luk'yanets, Zh. Obshch. Khim., 53 (1983) 1347.
39. J. K. Hino, L. Della Ciana, W. J. Dressick and B. P. Sullivan, Inorg. Chem., 31 (1992) 1072.
40. H. Masui, A. B. P. Lever, and E. S. Dodsworth, submitted to Inorg. Chem. 1992
41. V. Skarda, M. J. Cook, A. P. Lewis, G. S. G. McAuliffe, A. J. Thompson and D. J. Robbins, J. Chem. Soc. Perkin II (1984) 1309.







Figure legend

Figure 1. Plots of a selection of phthalocyanine redox processes versus the Hammett $\Sigma\sigma_p$ values.

- A. $[(\text{CN})_2\text{Co(III)}\text{R}_x\text{Pc(-2)}]^-$ species, upper $(\text{CN})_2\text{Co(III)}\text{R}_x\text{Pc(-1)}/[(\text{CN})_2\text{Co(III)}\text{R}_x\text{Pc(-2)}]^-$; lower $[(\text{CN})_2\text{Co(III)}\text{R}_x\text{Pc(-2)}]^-/[\text{Co(I)}\text{R}_x\text{Pc(-2)}]^-$. B. $\text{Co(II)}\text{R}_x\text{Pc(-2)}$ species, $[\text{Co(II)}\text{R}_x\text{Pc(-1)}]^+/\text{Co(II)}\text{R}_x\text{Pc(-2)}$
- C. $\text{H}_2\text{R}_x\text{Pc(-2)}$ species, $\text{H}_2\text{R}_x\text{Pc(-2)}/[\text{H}_2\text{R}_x\text{Pc(-3)}]^-$
- D. $\text{Zn(II)}\text{R}_x\text{Pc(-2)}$ species, upper $[\text{Zn(II)}\text{R}_x\text{Pc(-1)}]^+/\text{Zn(II)}\text{R}_x\text{Pc(-2)}$, lower $\text{Zn(II)}\text{R}_x\text{Pc(-2)}/[\text{Zn(II)}\text{R}_x\text{Pc(-3)}]^-$

TECHNICAL REPORT DISTRIBUTION LIST - GENERAL

Office of Naval Research (2)*
Chemistry Division, Code 1113
800 North Quincy Street
Arlington, Virginia 22217-5000

Dr. James S. Murday (1)
Chemistry Division, Code 6100
Naval Research Laboratory
Washington, D.C. 20375-5000

Dr. Robert Green, Director (1)
Chemistry Division, Code 385
Naval Air Weapons Center
Weapons Division
China Lake, CA 93555-6001

Dr. Elek Lindner (1)
Naval Command, Control and Ocean
Surveillance Center
RDT&E Division
San Diego, CA 92152-5000

Dr. Bernard E. Douda (1)
Crane Division
Naval Surface Warfare Center
Crane, Indiana 47522-5000

Dr. Richard W. Drisko (1)
Naval Civil Engineering
Laboratory
Code L52
Port Hueneme, CA 93043

Dr. Harold H. Singerman (1)
Naval Surface Warfare Center
Carderock Division Detachment
Annapolis, MD 21402-1198

Dr. Eugene C. Fischer (1)
Code 2840
Naval Surface Warfare Center
Carderock Division Detachment
Annapolis, MD 21402-1198

Defense Technical Information
Center (2)
Building 5, Cameron Station
Alexandria, VA 22314

* Number of copies to forward

DTIC QUALITY INSPECTED

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

ABSTRACT DISTRIBUTION LIST

Professor Hector Abruña
Department of Chemistry
Cornell University
Ithaca, NY 14853

Dr. Allen J. Bard
Department of Chemistry
University of Texas at Austin
Austin, TX 78712-1167

Professor Lesser Blum
Department of Physics
University of Puerto Rico
Rio Piedras, Puerto Rico 00931

Professor Daniel Buttry
Department of Chemistry
University of Wyoming
Laramie, WY 82071

Professor Richard M. Crooks
Department of Chemistry
University of New Mexico
Albuquerque, NM 87131

Professor Andrew Ewing
Department of Chemistry
152 Davey Laboratory
Pennsylvania State University
University Park, PA 16802

Professor Gregory Farrington
University of Pennsylvania
Department of Materials Science and Engineering
3231 Walnut Street
Philadelphia, Pennsylvania 19104

Professor W. R. Fawcett
Department of Chemistry
University of California, Davis
Davis, CA 95616

Dr. John J. Fontanella
Physics Department
U.S. Naval Academy
Annapolis, MD 21402-5026

Professor Harry Gray
California Institute of Technology
127-72
Pasadena, California 91125

Professor Joel Harris
Department of Chemistry
University of Utah
Salt Lake City, UT 84112

Dr. Adam Heller
Department of Chemical Engineering
University of Texas at Austin
Austin TX 78712-1062

Professor Pat Hendra
The University
Southampton SO9 5NH
England

Professor Joseph Hupp
Department of Chemistry
Northwestern University
Evanston, IL 60208

Professor Jiri Janata
Department of Bioengineering
University of Utah
Salt Lake City, UT 84102

~~Professor A. B. P. Lever
Department of Chemistry
York University
4700 Keele Street
North York, Ontario M3J 1P3~~

Professor Nathan S. Lewis
Division of Chemistry and Chemical Engineering
California Institute of Technology
Pasadena, CA 91125

Dr. Bor Yann Liaw
University of Hawaii at Manoa
2540 Maile Way, Spalding 253
Honolulu, HI 96822

Professor Rudolph Marcus
Division of Chemistry and Chemical Engineering
California Institute of Technology
Pasadena, CA 91125

Professor Charles Martin
Department of Chemistry
Colorado State University
Ft. Collins, CO 80523

Dr. Donald Maricle
International Fuel Cells
P. O. Box 739
195 Governors Highway
South Windsor, CT 06074

Dr. Melvin H. Miles
Energetic Materials Branch, Code 3853
Chemistry Division, Research Department
Naval Weapons Center
China Lake CA 93555

Professor Royce W. Murray
Department of Chemistry
University of North Carolina at Chapel Hill
Chapel Hill, NC 27514

Dr. David J. Nagel
Naval Research Laboratory
Code 4600
4555 Overlook Avenue, S.W.
Washington, D.C. 20375-5000

Dr. Michael R. Philpott
IBM Research Division
Almaden Research Center
650 Harry Road
San Jose, CA 95120-6099

Professor B. S. Pons
Department of Chemistry
University of Utah
Salt Lake City, UT 84112

Dr. Mark A. Ratner
Department of Chemistry
Northwestern University
Evanston, IL 60208

Dr. Debra Rolison
Code 6170
Naval Research Laboratory
Washington, DC 20375-5000

Dr. Michael J. Sailor
Department of Chemistry
University of California, San Diego
9500 Gilman Drive
La Jolla CA 92093-0506

Professor Jack Simons
Department of Chemistry
University of Utah
Salt Lake City, UT 84112

Professor John L. Stickney
University of Georgia
Department of Chemistry
Cedar Street
Athens, GA 30602

Professor Eric M. Stuve
Dept. of Chemical Engineering, BF-10
University of Washington
Seattle, Washington 98195

Dr. Stanislaw J. Szpak
Code 574
Naval Ocean Systems Center
San Diego, CA 92152-5000

Dr. E. Jennings Taylor
Physical Sciences, Inc.
20 New England Business Center
Andover MA 01810

Dr. Petr Vanysek
Department of Chemistry
Northern Illinois University
DeKalb, IL 60115

Professor Michael Weaver
Department of Chemistry
Purdue University
West Lafayette, IN 47907

Professor Henry S. White
Department of Chemical Engineering
and Materials Science
421 Washington Avenue, SE
University of Minnesota
Minneapolis, MN 55455

Professor R. Mark Wightman
Department of Chemistry
CB #3290, Venable Hall
The University of North Carolina
Chapel Hill NC 27599-3290

Professor George Wilson
Department of Chemistry
University of Kansas
Lawrence, KS 66045

Professor Mark S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, MA 02139

Professor Ernest Yeager
Case Center for Electrochemical Sciences
Case Western Reserve University
Cleveland, OH 44106